



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,946	05/22/2006	Swee Hin Teoh	2597.004 (FP3037/GM)	3587
23405 7590 05/02/2011 HESLIN ROTHENBERG FARLEY & MESITI PC 5 COLUMBIA CIRCLE ALBANY, NY 12203			EXAMINER PRONE, CHRISTOPHER D	
			ART UNIT 3738	PAPER NUMBER
			MAIL DATE 05/02/2011	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/579,946

Applicant(s)

TEOH ET AL.

Examiner

CHRISTOPHER D. PRONE

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 March 2011.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,5,8-10,13,19,20,28,29,31,33,34,36-40,43,44 and 71-83 is/are pending in the application.
- 4a) Of the above claim(s) 38 and 71-83 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,5,8-10,13,19,20,28,29,31,33,34,36,37,39,40,43 and 44 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Priority

This application claims priority from provisional application 60/524278, filed on 11/21/03.

Election/Restrictions

Applicant elected Invention 1 and species 1 shown in figure 4A without traverse, on 10/27/10.

Status of Claims

Claims 1-3, 5, 8-10, 13, 19, 20, 28, 29, 31, 33, 34, 36-40, 43, 44, and 71-83 are pending.

Claims 4, 6, 7, 11, 12, 14-18, 21-27, 30, 32, 35, 41, 42, and 45-70 have been cancelled.

Claims 38 and 71-82 have been withdrawn.

Claim Objections

The claim objections have been withdrawn.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 5, 8, and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Stone et al. (Stone) USPN 5,306,311.

Stone discloses the same invention being a cone shaped porous bioabsorbable plug implant comprising first and second circular planar portions having a tapered surface and a bioactive agent shown best in figure 4B

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 9, 10, 13, 20, 28, 29, 31, 33, 34, 36, 37, 39, 40, 43, and 44 are rejected under 35 U.S.C. 103 as being unpatentable over Stone in view of Masters USPN 2002/0028243 A1.

Stone discloses the invention substantially as claimed being described supra. However, Stone does not disclose the TCP-PLC materials.

Masters teaches the use of medical implants comprising layers of TCP and PLC and that the layers are seeded with stem cells in the same field of endeavor for the purpose of providing a bioabsorbable implant capable of controlled drug delivery.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the materials of Masters with the implant of Stone in order to provide an implant capable of being readily absorbed into the implant site and deliver a controlled drug.

In regards to claims 10, 33, 34, 39, and 40 the claim language is requiring steps of making and using the implant. These steps are all given limited weight because the elected invention is the device and the device of Stone as modified by Masters is fully capable of being made and used in the claimed manner.

Additionally since the combination discloses the same material as required by the claims, it is considered to have all the same properties and perform in the same manner as that of the current application.

Response to Arguments

Applicant's arguments filed 3/14/11 have been fully considered but they are not persuasive. The applicant argues that Stone fails to disclose a first portion with a first surface and a second portion with a second surface, wherein the area of the first surface is smaller than an area of the second surface. This is not persuasive because the word choice of the applicant is extremely broad. In its current form the claim only requires an implant having 2 portions having areas wherein one area is larger than the

Art Unit: 3738

other. Due to its tapered form there are numerous lower portions with smaller areas than the numerous upper portions. The applicant further discusses the intended use of the implant, which failed to overcome the art of record. The device of stone is fully capable of being used in the same manner as that of the applicant's.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTOPHER D. PRONE whose telephone number is (571) 272-6085. The examiner can normally be reached on Monday through Fri 9:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (571) 272-4754. The fax phone

Art Unit: 3738

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Christopher D Prone
Examiner
Art Unit 3738

/Christopher D Prone/

/CORRINE M MCDERMOTT/
Supervisory Patent Examiner, Art Unit 3738